ELSEVIER

Neuroscience Letters 326 (2002) 223–225

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 326

Volume 326, no. 1

Guidelines for the submission of manuscripts v

Neurosteroids enhance bandpass filter characteristics of the rat Schaffer collateral-to-CA1 synapse
L.D. Partridge, C.F. Valenzuela (USA) 1

Expression of α-synuclein, the precursor of non-amyloid β component of Alzheimer's disease amyloid, in human cerebral blood vessels
W. Tamo, T. Imaizumi, K. Tanji, H. Yoshida, F. Mori, M. Yoshimoto, H. Takahashi, I. Fukuda, K. Wakabayashi, K. Satoh (Japan) 5

Presenilin 1 overexpressions in Chinese hamster ovary (CHO) cells decreases the phosphorylation of retinoblastoma protein: relevance for neurodegeneration
M.I. Prat, A.M. Adamo, S.A. González, J.L. Affranchino, M. Ikeda, E. Matsubara, M. Shoji, M.A. Smith, E.M. Castaño, L. Morelli (Argentina, Japan, USA) 9

Quantal endplate currents from newborn to adult mice and the switch from embryonic to adult channel type
J. Dudel, M. Heckmann (Germany) 13

Release of β-endorphin from adrenal gland to lower plasma glucose by the electroacupuncture at Zhongwan acupoint in rats
J.-G. Lin, S.-L. Chang, J.-T. Cheng (Taiwan) 17

Breakdown of choline-containing phospholipids in rat brain during severe weight loss
C. Göpel, M.H. Schmidt, M. Campanini, J. Klein (Germany, USA) 21

Body image distortion reveals amygdala activation in patients with anorexia nervosa – a functional magnetic resonance imaging study
G. Seeger, D.F. Braus, M. Ruf, U. Goldberger, M.H. Schmidt (Germany) 25

Inflammation-induced up-regulation of neurokinin 1 receptors in rat glabrous skin
S.M. Carlton, R.E. Coggeshall (USA) 29

The myeloperoxidase gene in Alzheimer's disease: a case-control study and meta-analysis
O. Combarros, J. Infante, J. Llorca, N. Peña, C. Fernández-Viadero, J. Berciano (Spain) 33

Characterization of three novel isoforms of the metabotrobic glutamate receptor 7 (GRM7)
H.L. Schulz, H. Stohr, B.H.F. Weber (Germany) 37

The involvement of nitric oxide on the adenosine A_2 receptor-induced cardiovascular inhibitory responses in the posterior hypothalamus of rats
M.S. Song, K.A. Shin, J.S. Kang, C.H. Lee, I.C. Shin, S.-j. Lee, H.C. Koh (South Korea) 41

Time-of-flight-, phase contrast and contrast enhanced magnetic resonance angiography for pre-interventional determination of aneurysm size, configuration, and neck morphology in an aneurysm model in rabbits
T. Krings, F.-J. Hans, W. Möller-Hartmann, R. Thiex, A. Brunn, K. Scherer, K.-P. Stein, A. Meetz, H. Dreeskamp, E. Allery, A. Thron (Germany) 46

The Arctic Alzheimer mutation enhances sensitivity to toxic stress in human neuroblastoma cells
K. Sennvik, C. Nilsberth, C. Stenh, L. Lannfelt, E. Benedikz (Sweden) 51

Increased monoamine oxidase messenger RNA expression levels in frontal cortex of Alzheimer's disease patients
L. Emilsson, P. Saetre, J. Balciuniene, A. Castensson, N. Cairns, E.E. Jazin (Sweden, UK) 56

Low-frequency stimulation of the kindling focus delays basolateral amygdala kindling in immature rats
L. Velíšek, J. Velíšková, P.K. Stanton (USA) 61

Elevated expression of beta-site amyloid precursor protein cleaving enzyme 2 in brains of patients with Down syndrome
K. Motonaga, M. Itoh, L.E. Becker, Y.-i. Goto, S. Takashima (Japan, Canada) 64

Association of interleukin-1β polymorphisms with idiopathic Parkinson's disease
P.L. McGeer, K. Yasojima, E.G. McGeer (Canada) 67

Polymorphisms in the interleukin-1 alpha and beta genes and the risk for Parkinson's disease
T. Schulte, L. Schöls, T. Müller, D. Woitalla, K. Berger, R. Krüger (Germany) 70

Volume 326, no. 2

Event-related potentials elicited by stimulus spatial discrepancy in humans
J. Yang, Y. Wang (PR China) 73

Resistive loaded breathing has a functional impact on maximal voluntary contractions in humans
D. Turner, S. Jackson (UK) 77
Toluene-induced, Ca^{2+}-dependent vesicular catecholamine release in rat PC12 cells
R.H.S. Westerink, H.P.M. Vijverberg (The Netherlands) 81
Nociceptin/orphanin FQ inhibits glutamate release from rat cerebellar and brain stem slices
B. Nicol, D.J. Rowbotham, D.G. Lambert (UK) 85
Effect of monensin on the levels of tachykinins and their processing enzyme activity in rat dorsal root ganglia
T. Chikuma, Y. Inomata, K. Tsuchida, H. Hojo, T. Kato (Japan) 89
Internal stochastic resonance in the coherence between spinal and cortical neuronal ensembles in the cat
E. Manjarrez, J.G. Rojas-Piloni, I. Méndez, L. Martínez, D. Vélez, D. Vázquez, A. Flores (Mexico) 93
Mouse model of optic neuropathy caused by mitochondrial complex I dysfunction
X. Zhang, D. Jones, F. Gonzalez-Lima (USA) 97
Detection of hypothalamic activation by manganese ion contrasted T_1-weighted magnetic resonance imaging in rats
H. Morita, T. Ogino, Y. Seo, N. Fujiki, K. Tanaka, A. Takamata, S. Nakamura, M. Murakami (Japan) 101
An anti-Parkinson's disease drug, *N*-propargyl-1(*R*)-aminoindan (rasagiline), enhances expression of anti-apoptotic Bcl-2 in human dopaminergic SH-SY5Y cells
Y. Akao, W. Maruyama, H. Yi, M. Shamoto-Nagai, M.B.H. Youdim, M. Naoi (Japan, Israel) 105
A novel role for melatonin: regulation of the expression of cell adhesion molecules in the rat hippocampus and cortex
G. Baydas, V.S. Nedzvetsky, P.A. Nerush, S.V. Kirichenko, H.M. Demchenko, R.J. Reiter (Turkey, Ukraine, USA) 109
The neurokinin-2 receptor is not involved in the sensitization of primary afferents of the rat knee joint
M. Pawlak, R.F. Schmidt, C. Nitz, U. Hanesch (Germany) 113
Advanced glycation end products (AGE) and their receptor (RAGE) in the brain of patients with Creutzfeldt-Jakob disease with prion plaques.
N. Sasaki, M. Takeuchi, H. Chowei, S. Kikuchi, Y. Hayashi, N. Nakano, H. Ikeda, S.-i. Yamagishi, T. Kitamoto, T. Saito, Z. Makita (Japan) 117
Withdrawal from chronic ethanol increases the sensitivity of presynaptic 5-HT_{1A} receptors modulating serotonin and dopamine synthesis in rat brain in vivo
S. Esteban, D. Moranta, A. Sastre-Coll, A. Miralles, J.A. García-Sevilla (Spain, Switzerland) 121
Interferon-beta-1b increases serum interleukin-12 p40 levels in primary progressive multiple sclerosis patients
D. Bahner, C. Klucke, B. Kitze, E. Elitok, T. Bogumil, A. Dressel, H. Tumani, F. Weber, S. Poser, A. Bitsch (Germany) 125
Increased and type II-specific expression of peptidylarginine deiminase in activated microglia but not hyperplastic astrocytes following kainic acid-evoked neurodegeneration in the rat brain
H. Asaga, K. Akiyama, T. Ohsawa, A. Ishigami (Japan) 129
Physical activity increases the dissociation between subjective sleepiness and objective performance levels during extended wakefulness in human
Y. Matsumoto, K. Mishima, K. Satoh, T. Shimizu, Y. Hishikawa (Japan) 133
Morphological changes of cerebral arteries in a canine double hemorrhage model
A.Y. Zubkov, R.E. Tibbs, B. Clower, K. Ogihara, K. Aoki, J.H. Zhang (USA) 137
Attenuation of retinal photooxidative damage in thioredoxin transgenic mice
M. Tanito, H. Masutani, H. Nakamura, S.-i. Oka, A. Ohira, J. Yodoi (Japan) 142

Volume 326, no. 3

Melatonin prevents the formation of pyrrolized proteins in human plasma induced by hydrogen peroxide
F. Martínez-Cruz, J.M. Guerrero, C. Osuna (Spain) 147
Co-localization of 5-HT_{2A}-receptor- and GABA-immunoreactivity in neurones in the periaqueductal grey matter of the rat
J.L. Griffiths, T.A. Lovick (UK) 151
Selective loss of 20S proteasome α-subunits in the substantia nigra pars compacta in Parkinson's disease
K.St.P. McNaught, R. Belizaire, P. Jenner, C.W. Olanow, O. Isacson (USA, UK) 155
Age-related change of calbindin D-28k immunoreactive neurons in the rat main olfactory bulb
I.K. Hwang, T.-C. Kang, J.C. Lee, I.S. Lee, S.-K. Park, S.J. An, Y.G. Jeong, J.-G. Seo, Y.-S. Oh, M.H. Won (South Korea) 159
The involvement of 5-HT_3 and 5-HT_4 receptors in two models of gastrointestinal transit in mice
D. Pascual, A. Alsasua, C. Goicoechea, M.I. Martín (Spain) 163
Functional relation between caffeine- and muscarine-sensitive Ca^{2+} stores and no Ca^{2+} releasing action of cyclic adenosine diphosphate-ribose in guinea-pig adrenal chromaffin cells
T. Ohta, A.R. Wakade, K. Yonekubo, S. Ito (Japan, USA) 167
Association between intercellular adhesion molecule-1 E/K gene polymorphism and probable vascular dementia in humans
R. Pola, A. Flex, E. Gaetani, P. Papaleo, D. De Martini, L. Gerardino, M. Serricchio, P. Pola, R. Bernabei (Italy) 171
Coxsackievirus B4-induced neuronal apoptosis in rat cortical cultures
C.H. Joo, Y.K. Kim, H. Lee, H. Hong, S.-Y. Yoon, D. Kim (South Korea) 175

Reduction of Alamar Blue, a novel redox indicator, is dependent on both the glycolytic and oxidative metabolism of glucose in rat cultured neurons
T. Abe, S. Takahashi, Y. Fukuuchi (Japan) 179

Ischemia-induced glutamate release in rat frontoparietal cortex after chronic alcohol and withdrawal
L. Favalli, A. Rozza, P. Frattini, E. Masoero, R. Scelsi, A. Pascale, S. Govoni (Italy) 183

The Th1/E47cs-G apolipoprotein E (APOE) promoter allele is a risk factor for Alzheimer disease of very later onset
K. Beyer, J.I. Lao, M. Gómez, N. Riutort, P. Latorre, J.L. Mate, A. Ariza (Spain) 187

Myenteric neurons and interstitial cells of Cajal of mouse colon express several nitric oxide synthase isoforms
M.-G. Vannucchi, L. Corsani, D. Bani, M.-S. Faussone-Pellegrini (Italy) 191

The cannabinoids *R*(−)-7-hydroxy-delta-6-tetra-hydrocannabinol-dimethylheptyl (HU-210), 2-*O*-arachidonoylglycerylether (HU-310) and arachidonyl-2-chloroethylamide (ACEA) increase isoflurane provoked sleep duration by activation of cannabinoids 1 (CB_1)-receptors in mice
J. Schuster, M. Ates, K. Brune, H. Gühring (Germany) 196

Cyclic guanosine 5′ monophosphate (GMP) prevents expression of neuronal nitric oxide synthase and apoptosis in motor neurons deprived of trophic factors in rats
A.G. Estévez, A. Kamaid, J.A. Thompson, T.L. Cornwell, R. Radi, L. Barbeito, J.S. Beckman (USA, Uruguay) 201

Dexamethasone induces dendritic alteration but not apoptosis in the neurons of the hippocampus in postnatal rats
C.K. Tan, J. Yan, C. Ananth, C. Kaur (Singapore) 206

Immunohistochemical study of synphilin-1 in brains of patients with dementia with Lewy bodies – synphilin-1 is non-specifically implicated in the formation of different neuronal cytoskeletal inclusions
E. Iseki, N. Takayama, Y. Furukawa, W. Marui, T. Nakai, S. Miura, K. Uéda, K. Kosaka (Japan) 211

Effects of diltiazem and MK-801 on morphine analgesia and pharmacokinetics in mice
T. Maeda, S. Kishioka, X. Fan, Y. Fukazawa, N. Shimizu, M. Ozaki, H. Yamamoto (Japan) 216

Author Index to Volume 326 219
Contents to Volume 326 223